

Appl. No. : **Unknown**
Filed : **Herewith**

AMENDMENTS TO THE CLAIMS

1. (original) A subscriber identity module for use in mobile communications networks, said subscriber identity module storing a list of preferred mobile communications networks, other than the home mobile network, to be selected for providing services, and

said subscriber identity module being adapted to modify said list of preferred networks based on location information.

2. (original) A subscriber identity module according to claim 1, wherein said list is modified by an applet running on the subscriber identity module .

3. (currently amended) A subscriber identity module according to claim 1 ~~or 2~~, wherein said location information is obtained from the elementary file location information stored on the subscriber identity module.

4. (currently amended) A subscriber identity module according to ~~any preceding claim 1~~, further adapted to initiate action which may lead to the modification of said list of preferred networks in response to the location information elementary file being updated.

5. (currently amended) A subscriber identity module according to ~~any preceding claim 1~~, wherein said location information includes a country code.

6. (currently amended) A subscriber identity module according to ~~any preceding claim 1~~, further adapted to determine the country in which the subscriber identity module is being used.

7. (currently amended) A subscriber identity module according to ~~any preceding claim 1~~, further adapted to modify said list after it is determined that the subscriber identity module is being used in a country different from the country where it was last used.

8. (currently amended) A subscriber identity module according to ~~any preceding claim 1~~, further adapted to select a network from said list which provides services in the country in which the subscriber identity module is currently being used.

9. (original) A subscriber identity module according to claim 8, further adapted to increase the priority of the selected network in the list of preferred networks.

Appl. No. : **Unknown**
Filed : **Herewith**

10. (currently amended) A subscriber identity module according to claim 8-~~or~~-9, further adapted to swap the code of the selected network with the code at the first position of the preferred network list.

11. (currently amended) A subscriber identity module according to ~~any preceding~~ claim 1, further adapted to cause the mobile terminal connected to the subscriber identity module to use the modified list of preferred networks.

12. (currently amended) A subscriber identity module according to ~~any preceding~~ claim 1, further adapted to initiate a refresh command of the file containing the preferred network list.

13. (currently amended) A subscriber identity module according to ~~any preceding~~ claim 1, further adapted to prompt the user to cause the mobile terminal connected to the subscriber identity module to use the modified list of preferred networks.

14. (currently amended) A subscriber identity module according to ~~any preceding~~ claim 1, further adapted to prompt the user to switch the mobile terminal off and on to cause the mobile terminal connected to the subscriber identity module to use the modified list of preferred networks.

15. (original) A method of influencing the selection of a network for providing roaming services, said method comprising modifying, based on location information, the list of preferred networks stored on a subscriber identity module.

16. (original) A method according to claim 15, wherein said list of preferred networks is modified individually for each subscriber identity module.

17. (currently amended) A method according to claim 15-~~or~~-16, wherein said location information is obtained from ~~the~~ elementary file location information stored on the subscriber identity module.

18. (currently amended) A method according to ~~any of claims 15 to 17, wherein the~~ further comprising initiating action, which may lead to the modification of said list of preferred networks, is initiated in response to the an update of elementary file location information being updated stored on the subscriber identity module.

19. (currently amended) A method according to ~~any of claims 15 to 18~~, wherein said location information includes a country code.

Appl. No. : **Unknown**
Filed : **Herewith**

20. (currently amended) A method according to ~~any of claims 15 to 19~~, said method ~~including the step of further comprising~~ determining the country in which the subscriber identity module is being used.

21. (currently amended) A method according to ~~any of claims 15 to 20~~, wherein said list is modified after it is determined that the subscriber identity module is being used in a country different from the country where it was last used.

22. (currently amended) A method according to ~~any of claims 15 to 21~~, wherein a network is selected from the list of preferred networks, and wherein the selected network provides services in the country in which the subscriber is roaming.

23. (original) A method according to claim 22, wherein the priority of the selected network in the list of preferred networks is increased, such that the mobile terminal connected to the subscriber identity module reads the code of the selected network when the mobile terminal is selecting a network for providing roaming services.

24. (currently amended) A method according to claim 22 ~~or 23~~, wherein the code of the selected network is swapped with the code at the first position of the preferred network list.

25. (currently amended) A method according to ~~any of claims 15 to 24~~, wherein the mobile terminal connected to the subscriber identity module ~~is caused to use~~ the modified list of preferred networks.

26. (currently amended) A method according to ~~any of claims 15 to 25~~, wherein a refresh command of the file containing the preferred network list is initiated after the file has been updated.

27. (currently amended) A method according to ~~any of claims 15 to 26~~, wherein further comprising prompting the user ~~is prompted to~~ cause the mobile terminal to read the file containing the preferred network list after the file has been updated.

28. (currently amended) A method according to ~~any of claims 15 to 27~~, wherein further comprising prompting the user ~~is prompted to~~ switch the mobile terminal off and on to cause the mobile terminal connected with the subscriber identity module to use the modified list of preferred networks after the file has been updated.

29. (currently amended) An application for installation on a subscriber identity module for use in a mobile communications network, said application being adapted to perform

Appl. No. : **Unknown**
Filed : **Herewith**

~~the a method of any of claims 16 to 28~~ influencing the selection of a network for providing roaming services, said method comprising modifying, based on location information, the list of preferred networks stored on a subscriber identity module.

30. (original) An application for installation on a subscriber identity module for use in a mobile communications network, said application being adapted to influence, based on location information, the process of selecting a network for providing roaming services.

31. (currently amended) ~~A signal including an application as claimed in claim 29 or 30~~ for installation on a subscriber identity module for use in a mobile communications network, said application being adapted to perform a method of influencing the selection of a network for providing roaming services, said method comprising modifying, based on location information, the list of preferred networks stored on a subscriber identity module.

32. (currently amended) A mobile terminal connected to a subscriber identity module for use in mobile communications networks,

said subscriber identity module storing a list of preferred mobile communications networks, other than the home mobile network, to be selected for providing services, and

said subscriber identity module being adapted to modify said list of preferred networks based on location information.

~~as claimed in any of claims 1 to 14.~~

33. (original) A mobile terminal according to claim 32, wherein the priority of the selected network in the list of preferred networks is increased, such that the mobile terminal connected to the subscriber identity module reads the code of the selected network when the mobile terminal is selecting a network for providing roaming services.

34. (canceled)

35. (new) A signal including an application for installation on a subscriber identity module for use in a mobile communications network, said application being adapted to influence, based on location information, the process of selecting a network for providing roaming services.